



**NOTES:**

1. MATERIAL: BK-7
2. COATING (S1) : MULTI-LAYER DIELECTRIC COATING  
R>99.3%@352 nm~355 nm, 45°±3° AOI
3. CLEAR APERTURE (S1) : >90% (CA)
4. SURFACE QUALITY (S1) : 10/5 (S/D)
5. SURFACE FLATNESS (S1) :  $\lambda/10@633\text{ nm}$
6. PARALLELISM (S1,S2) : <3'
7. CHAMFER: 0.5±0.1X45°
8. BACK SURFACE (S2) : FINE GROUND

MULTI-LAYER DIELECTRIC-COATED PLATE MIRROR		MLOPTIC   茂莱		
OP-M-HP-25.4C05-352/355	ISSUE	SCALE	PAGE	FIRST ANGLE
	A0	1:1	1 OF 1	